



NO	DRAWING	DESCRIPTON	QUANTITY	NO	DRAWING	DESCRIPTON	QUANTITY
1		HANDLE BAR	1	8	-	BAULL BAR	2
2		ALLEN BAR	M6x25mm	9		ADJUSTABLE FOOT REST	2
			2				
3	The state of the s	FIXING CLAMP	1	10		ALLEN BOLT	M6x20mm
							2
4	6	ALLEN NUT	2	11		FOOT STRAP	2
4							
5		BABY CARRIER	1	12	(80	ALLEN NUT FLAT HEAD	
							2
6	©	FLAT WASHER	4	13	13	NUT	2
				10			
			OD19xD6				
7		ALLEN BOLT	M6x35mm	14	(1.1)	SADDLES FIXING BOLT	2
			4				




Insert the handgrip (1) into the square hole of the Baby carrier (5)

Tighten screws (2) (4) together with handgrip fixing slice (3)


Tool: 10mm Open-end




Adjust the footrests to suit child's legs by turning the nut (13)




Position the baby carrier (5) on the carrier and at the same time, put the Iorn Sheet (8) under the carrier. Make sure to set the correct position of the baby carrier Before tightening the screws (6) (7).



Keep space on the seat back to attach the LED light For anyone who needs it.




Install the footrest on the baby carrier (5). Make the foot strap (11) go through the footrest side




Adjustable seat belt

MAINTENANCE AND CARE:

- 1. It is required to regularly check the seat to make sure it is always in the condition of safety level.
- 2. For safety reason, it is required to check the hole of the plastic fixing clamp regularly. If the hole of the fixing clamp should become loose, it is forbidden to use this back seat before replacing a new fxing clamp.
- For cleaning the seat, it is suggested to use clean water only.





Safety instructions

- 1. The back seat is for children up to 7 years with max, weight 22 kg for fixing on carriers of 26" to 28" bicycle by dovetail support. The carrier capacity must be at least 25kg.
- 2. The cyclist and the child are required to wear qualified helmet.
- 3. Be sure the bicycle is stable when loading and unloading your child.
- 4. As the riding features can considerably change with the child in the back seat, it is advised to ride slowly and not to ride on rugged road. It is also advised not to ride an rainy days.
- 5. Be sure to have one hand holding the back seat when the cyclist is walking with the bicycle.

Warnings

- 1. For safety reasons, it is prohibited to do any modification to the seat.
- The cyclist must be at least 16 years old.
- Never transport two children at the same time.
- Never leave the child alone on the seat when the bicycle is parked.
- 5. Never transport a child of the age more than 7 years old with max. weight of 22kg.
- 6. Never exceed the max. torque for tightening the bolts.
- 7. The perpendicular line of the arrow on the side must not be more than 10cm from the rear wheel axle.
- 8. If your bicycle is equipped with a spring type saddle, please use some cover to cover the springs and prevent your child putting his fingers into the springs.

GENG HUNG CO., LTD.

No, 1-16, Chang ma st., ma shing Tsuen, Shiou Suei 504, Changhua, Taiwan.

Tel:886-4-7511586 Fax:886-4-7613280

MADE IN TAIWAN